Ref: HSD/C14WB Issue No: 2 Date of Issue: 25<sup>th</sup> March, 2010

## 1. Product and Company Identification

Product Name: CHEMCURE R90 WB STANDARD/SOLAR REFLECTIVE

Intended Uses: Hydrocarbon resin emulsion based curing membrane for concrete

surfaces.

Manufacturer: UNIVERSAL SEALANTS (UK) LIMITED

Kingston House, 3 Walton Road, Pattinson North, Washington, Tyne & Wear. NE38 8QA, United Kingdom

24 Hour Emergency Tel: CHEMTREC +1 703 527 3887

#### 2. Hazard Identification

#### **Possible Hazards:**

Not classified as hazardous.

## 3. Composition / Information on Ingredients

Name	CAS No	EINECS	Conc. (w/w)	Classification	R. Phrases
Butyl Diglycol	112-34-5	203-961-6	<5%	Xi	36
Titanium					
Dioxide	1317-80-2	215-282-2	<10%	None	None

## 4. First Aid Measures

**Inhalation:** In case of drowsiness or sickness remove to fresh air, keep patient warm and

at rest. If unconscious, turn to the recovery position. Seek medical assistance.

Skin Contact: Promptly remove contaminated clothing and wash the affected area with

plenty of soap and water to ensure all traces of product are removed, then rinse thoroughly. Any contaminated clothing must be thoroughly cleaned

before re-using. Seek medical advice if irritation persists.

Eye Contact: Flush with copious amounts of clean water for at least 15 minutes, with the

eye lids held open. Seek medical attention.

**Ingestion:** Wash out mouth with water. Keep patient at rest and obtain medical attention.

DO NOT INDUCE VOMITING.

## 5. Fire Fighting Measures

Suitable Extinguisher Media: The product is not combustible, however if it is

involved in a fire, use water spray, foam, dry powder,

carbon dioxide or sand.

Unsuitable Extinguishing Media: Water jet.

**Exposure Hazards:** May give off toxic fumes if heated or involved in a fire.

**Special Protective Equipment:** In the event of fire wear self-contained breathing

apparatus.

Ref: HSD/C14WB Issue No: 2 Date of Issue: 25<sup>th</sup> March, 2010

#### 6. Accidental Release Measures

**Personal Precautions:** Wear protective equipment as specified in Section 8.

Do not eat, drink or smoke. Avoid contact with eyes.

**Environmental Precautions:** Keep people and animals away. Prevent entry into

drains, sewers and

watercourses. If spillage enters drains leading to sewerage works inform the local water company. If spillage enters rivers or watercourses inform the

Environment Agency.

Spillages: Cordon off area. Absorb/contain spillage using inert

absorbent granules, sand or earth. Transfer collected material to heavy-duty plastic/steel drums and keep in a well ventilated place for subsequent safe disposal.

See Section 13.

#### 7. Handling and Storage

**Handling:** No special precautions are necessary. When handling

unopened containers follow any relevant manual handling guidance. The product is a low viscosity emulsion and may present a splashing hazard during use. Refer to Sections 6 and 8 if exposure to product is possible. Wash thoroughly with soap and water before eating, drinking or smoking, and after work.

Storage: Store in original containers in a well ventilated area

away from heat, ignition sources or open flame.

Protect from frost and direct sunlight.

### 8. Exposure Controls / Personal Protection

Occupational Exposure Standards: Butyl Diglycol: 8Hr TWA 10ppm, 15min STEL 15ppm

WEL.

Titanium Dioxide: 8Hr TWA 10mg/m<sup>3</sup> (total inhalable),

4mg/m<sup>3</sup> (respirable) WEL.

While the Solar Reflective Grade of this product contains Titanium Dioxide which has a Workplace Exposure Limit assigned to it, this material is not present in powder form and is not therefore available

for inhalation.

**Engineering Control Measures:** Refer to any applicable COSHH assessments.

Engineering controls should be used where

practicable in preference to personal protection and

may include physical containment and good

ventilation.

**Respiratory protection:** Approved respirator and filter medium for organic

vaours and particulates if engineering controls are unlikely to control exposure below the relevant Workplace Exposure Limits. All items must conform to

EN149 and should be suitable for the levels of

contamination present in the workplace.

**Hand Protection:** Wear Nitrile, PVC or Natural Rubber gloves or

gauntlets. These must be manufactured to EN374.

Ref: HSD/C14WB Issue No: 2 Date of Issue: 25<sup>th</sup> March, 2010

The material breakthrough time should be stated by the glove manufacturer, and must be observed at all

times

**Eye Protection:** If splashing of the product is likely chemical resistant

goggles should be worn.

**Body Protection:** Wear suitable impervious overalls.

**Foot Protection:** Wear chemical resistant safety footwear.

**Hygiene Measures:** Handle in accordance with good industrial hygiene

and safety practice.

### 9. Physical and Chemical Properties

**Appearance:** Off-White or White **Boiling Point:** 100°C

liquid

Odour: Mild Vapour Pressure @ 20°C: As Water

pH: ~10 Evaporation Rate (Butyl Acetate = 1): As Water

Flash Point: Non-combustible Flammable Limits in Air: Upper: N/A

Lower: N/A

Solubility: Fully miscible in water Autoignition Temperature: N/A

Flammability: Not Flammable

Specific Gravity: ~1.00

## 10. Stability and Reactivity

Stability: Stable under normal conditions (see Section 7).

Materials to Avoid: Acids and metal salts may cause coagulation.

**Hazardous Decomposition Products:** Oxides of carbon.

## 11. Toxicological Information

There is no data available on the product itself. It is not classified as hazardous to health provided it is correctly used in accordance with the given recommendations.

**Inhalation:** No adverse effects are to be anticipated.

**Skin:** Short single exposure is unlikely to cause skin irritation but prolonged

contact may lead to irritation, dryness and possibly dermatitis. Skin absorption is unlikely to occur due to the physical form of the product.

**Eye:** May cause slight temporary irritation. Corneal injury is unlikely.

**Ingestion:** Single dose oral toxicity is low. No hazards are to be anticipated from

swallowing small amounts incidental to normal industrial handling.

Ref: HSD/C14WB Issue No: 2 Date of Issue: 25<sup>th</sup> March, 2010

#### 12. Ecological Information

There is no data available on the product itself. The following information is derived from similar materials.

The product can be virtually eliminated from water by abiotic process, e.g. adsorption onto activated sludge in suitable effluent treatment plants. If the product is correctly discharged into adapted biological treatment plants, the degrading action of the activated sludge will not be affected. No negative ecological effects are to be expected according to the present state of knowledge.

### 13. Disposal Considerations

Waste product must not be discharged directly to drains or waterways without treatment. Disposal of product, solid waste and packaging should always comply with local, national or EU regulations and in compliance with the Environmental Protection (Duty of Care) Regulations 1991, and be undertaken by an authorised contractor.

### 14. Transport Information

Not classified as dangerous in the meaning of the transport regulations.

### 15. Regulatory Information

EU Classification and Labelling Particulars: Not classified as hazardous and therefore

does not require labelling.

Designated Name: CHEMCURE R90 WB STANDARD/SOLAR REFLECTIVE

Classification: Not classified as hazardous

Indication(s) of Danger: N/A

Risk and Safety Phrases:

S26: In case of contact with eyes, rinse immediately with plenty of

water and seek medical advice.

S37/39: Wear suitable gloves and eye/face protection.

**UK Guidance Publications:** EH40; Occupational Exposure Limits, HSE. Revised annually.

EH26; Occupational Skin Diseases - Health and Safety

Precautions, HSE. COSHH Essentials. HSE

**UK Legislation:** Health and Safety at Work, etc Act, 1974, and relevant

Statutory Provisions.

Control of Substances Hazardous to Health Regulations, 1999.

The Manual Handling Operations Regulations, 1992.
The Personal Protective Equipment at Work Regulations,

1992

Chemicals (Hazard Information and Packaging for Supply)

Regulations, 2002 - CHIP 3.

### 16. Other Information

#### Full Text of R-Phrases Referred to above:

R36: Irritating to eyes.

Ref: HSD/C14WB Issue No: 2 Date of Issue: 25<sup>th</sup> March, 2010

**Training Advice:** Do not use unless trained to do so. Refer to the Technical

Data Sheet for the product.

**Recommended Uses:** For professional use only. This product is designed for use as

a water based concrete curing agent.

Further Information: This Safety Data Sheet was compiled in accordance with EU

Directives 67/548/EEC and 1999/45/EC.

The Ariel Regulatory Database provided by the 3E Corporation

in Copenhagen, Denmark.

ESES (The European Chemical Substances Information System), provided by the European Commission Joint

Research Centre in Ispra, Italy.

Reference was also made to the above legislation and

guidance publications.

MSDS First Issued: 4<sup>th</sup> December, 2008

MSDS Revised: 25<sup>th</sup> March, 2010.

Changes in this Version: Sections 1,2,3,5,8,15 & 16 revised to reflect REACH

regulations and EU Directive 1907/2006/EC.

Prepared By: F. Stratton

**Disclaimer:** The information in this document is offered for general health and safety

guidance only and is not intended to be a definitive source of advice, nor does

it constitute a risk assessment, for which the user is responsible. All

information provided in this document is believed to be accurate to the best of

our knowledge. Users of the products referred to should observe the

recommendations, conditions and instructions relating to any relevant product label, usage information, consent or approval in force at the time. Further and more specific information may be obtained from the supplier on request.